



RABEJAZE DSR Capsule

Dual Action Relief for GERD, Acid Reflux & Peptic Ulcers

Relieve heartburn. Heal ulcers. Improve digestion.

Product Overview

RABEJAZE DSR is a combination medication used to treat acid-related conditions such as GERD (Gastroesophageal Reflux Disease), heartburn, peptic ulcers, and dyspepsia. It combines Rabeprazole, a proton pump inhibitor, and Domperidone, a prokinetic agent, to reduce acid production, improve gastrointestinal motility, and relieve symptoms like bloating, pain, and discomfort.

Active Ingredients

- **Rabeprazole – 20 mg**
- **Domperidone (SR) – 30 mg**

Key Benefits

- Provides effective relief from GERD and acid reflux
- Promotes faster healing of gastric and duodenal ulcers
- Relieves indigestion, bloating, and post-meal discomfort
- Enhances gastric motility and prevents nausea
- Helps reduce risk of ulcer recurrence

How It Works

- **Rabeprazole** blocks acid production by inhibiting the gastric proton pump
- **Domperidone** enhances gut movement and blocks dopamine receptors in the vomiting center (CTZ), preventing nausea and promoting digestion

How to Use

- Take on an empty stomach or 30 minutes before the first meal
- Swallow whole—do not chew or crush
- Follow your physician's prescribed dose and duration

Storage Instructions

- Store in a cool, dry place away from direct light
- Keep out of reach of children

Possible Side Effects

- Headache, dizziness
- Dry mouth, nausea, or vomiting
- Diarrhea or constipation
- Flatulence, abdominal pain
- Sore throat, nasal congestion
- Back pain, insomnia

Consult your doctor if symptoms persist or worsen.

Warnings & Precautions

- Avoid if allergic to rabeprazole, domperidone, or other PPIs
- Not recommended for patients with liver/kidney issues or gastric cancer
- May interact with blood thinners, antifungals, HIV medications, iron supplements, and methotrexate
- Long-term use may cause low magnesium or vitamin B12 levels
- Avoid during pregnancy or breastfeeding unless prescribed

Frequently Asked Questions (FAQs)

1. What is RABEJAZE DSR used for?

It is used for treating GERD, acid reflux, ulcers, and indigestion by reducing acid and improving digestion.

2. Can it treat gastric bleeding?

No, RABEJAZE DSR helps prevent further acid-related damage but does not treat bleeding. Seek immediate medical help if blood appears in stool or vomit.

3. Can it cause dry mouth or diarrhea?

Yes, these are common side effects. Stay hydrated and consult your doctor if symptoms persist.

4. Can I lie down after eating while taking this medication?

No. Avoid lying down immediately after meals to prevent reflux. Raise the head of the bed slightly if needed.

5. Is RABEJAZE DSR safe?

It is generally safe but should be used under medical supervision, especially in older adults or those with underlying health issues.

6. When should I take RABEJAZE DSR?

It's best taken on an empty stomach, ideally before breakfast.

7. Can it cause an irregular heartbeat?

Rarely, especially in patients over 60. Report any heart-related symptoms to your doctor promptly.

8. Can I take it with other medications?

Inform your doctor about all current medications to avoid interactions.

9. Does it affect vitamin absorption?

Prolonged use may lower B12 or magnesium levels. Your doctor may monitor this.

10. Can I take it long-term?

Only under medical supervision. Long-term use should include periodic evaluations.

Dual Relief for Lasting Comfort

RABEJAZE DSR delivers fast, lasting relief from acid-related symptoms—supporting a healthier, more comfortable digestive experience.