

OSVYNAC-SP Tablet

Triple Action Relief for Pain, Inflammation & Swelling

Effective care for muscle, joint, and postoperative discomfort.

Product Overview

OSVYNAC-SP Tablet is a powerful combination of three active ingredients—Aceclofenac, Paracetamol, and Serratiopeptidase—designed to manage a wide range of painful and inflammatory conditions. It is highly effective in treating muscle pain, joint pain, postoperative inflammation, and conditions like rheumatoid arthritis, ankylosing spondylitis, and osteoarthritis.

Active Ingredients & Their Roles

Aceclofenac (100 mg)

- NSAID that blocks COX enzymes
- Reduces pain and inflammation

Paracetamol (325 mg)

- Enhances analgesic effect
- Reduces fever and mild pain

Serratiopeptidase (15 mg)

- Proteolytic enzyme
- Reduces swelling and supports tissue repair

Key Benefits

- Rapid relief from muscle and joint pain
- Reduces postoperative inflammation and swelling
- Improves mobility and function
- Promotes faster healing with anti-inflammatory and anti-edema effects

Recommended Uses

- Low back pain, cervical pain, spondylitis
- Osteoarthritis, rheumatoid arthritis
- Postoperative pain and inflammation

- Sports injuries and soft tissue trauma

Directions for Use

- Take exactly as prescribed by your doctor
- Swallow the tablet whole with a glass of water
- Take with food to minimize stomach irritation

Storage Instructions

- Store in a cool, dry place away from moisture and sunlight
- Keep out of reach of children

Common Side Effects

- Nausea, diarrhea, indigestion
- Stomach pain or upset
- Loss of appetite

If symptoms persist or worsen, consult your doctor.

How It Works

Aceclofenac and Paracetamol block the pain-inducing prostaglandins, while Serratiopeptidase reduces inflammation and promotes tissue healing by breaking down abnormal proteins at injury sites. This triple-action mechanism provides comprehensive pain and swelling relief.

Precautions & Warnings

- Not suitable for those with severe heart, kidney, or liver conditions
- Avoid in patients allergic to NSAIDs or with history of ulcers
- Use caution if diabetic or taking other medications
- Limit alcohol intake to prevent liver risk
- Not recommended for children unless prescribed by a doctor

Overdose Risk

Taking more than the recommended dose can cause liver or kidney damage and gastrointestinal issues. In case of overdose, seek immediate medical help.

Frequently Asked Questions (FAQs)

1. What is OSVYNAC-SP used for?

It is used to treat pain, inflammation, and swelling from arthritis, injuries, or surgeries.

2. Is it a painkiller?

Yes, it combines pain-relief and anti-inflammatory properties.

3. Can I take it for stomach or chest pain?

No, consult your doctor as it may worsen gastric symptoms.

4. Can I take it with alcohol or other painkillers?

No, avoid alcohol and do not combine with similar drugs unless prescribed.

5. Can I take it during pregnancy or breastfeeding?

Not recommended—consult your doctor.

6. Can I take two tablets together?

No, follow the prescribed dosage strictly.

7. Is it an antibiotic?

No, it is not. It's an NSAID with anti-inflammatory and anti-swelling benefits.

8. Can diabetics take this tablet?

Only under medical supervision.

9. Can it treat fever?

Yes, but it's not the primary indication. Consult your doctor.

10. What is the difference between OSVYNAC-SP and OSVYNAC-P?

OSVYNAC-SP contains Serratiopeptidase, which offers additional anti-swelling benefits.

Experience Comfort. Speed Up Recovery.

OSVYNAC-SP Tablet delivers fast, effective relief with added healing support—so you can move better and heal quicker.